



Stv Valve Technology Group Co.,ltd

STV VALVE TECHNOLOGY GROUP

ADD:88# ,Jifeng Road,Wenzhou City, Zhejiang

Province,325025, China

MO:008615157766245 Fax:0086057786917828

Email:marketing@stvvalve.com

Web:www.stvvalves.com

RICE SCHEDULE--01

Effective FEB 1st,2019

Subject to change without notice.

Cast Investment Ball

Valve/Check Valve/ Gate

Valve/Globe Valve/Y -Strainer



API6D-0305 01 202 CH/Q-02 0058 04909Q10555R1S



ORDER INFORMATION FOR CAST INVESTMENT SMALL SIZE BALL VALVE

- ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

1.Construction of Ball Valve

A-1pc;B-2pc;C-3pc;D-3-Way

2.Body Material

1-WCB;2-CF8(304);3-CF3(304L);4-CF8M(316);5-CF3M(316L)

3.Code of Driving Modes

A-lever or handle;B-Pneumatic;C-Electric Actuator

4.Locking device

1-Without locking device;2-With locking device

5.ISO Mounting Pad(Easy for fix pneumatic actuator)

A-Without Mounting Pad;B-With Direct Mounting Pad ISO 5211

6.Ball&stem Material

1-304;2-316;3-316L.

7.Connect end

A-Female BSPT;B-Butt weld end;C-Socket weld end;D-Flange End;E:FEMALE NPT;G:Female DIN 2999/259

8.Pressure rating

1-1000PSI;2-2000PSI;3-3000PSI

9.Seat Material

A-PTFE(working up to 120°C);B-PEEK(working up to 343°C)

C-Carbon filled PTFE D-Glass filled PTFE

REMARK:

OEM Brand is acceptable.

PRICE FOR OTHER MODELS ON APPLICATION

CO,CQ WILL BE OFFEED WITH ORDERS.

MINMUM ORDER CHARGE:100USD

FREIGHT POLICY-All price and shipment are F.O.B.China port.Our responsibility ceases after we make delivery to the carrier.Claims for damages,loss or delay in transit


should be made to the carrier.Full freight will be allowed on individual of 5000\$ or more.Individual orders totaling less than 5000\$ are not subject to freight allowance.


Discount rate on discussion.



Stv Valve Technology Group Co.,Ltd

One piece (1pc)ball valve, reducing port, female screwed end. Lever operated. 1000WOG, PTFE seat and seal.



Economical type		Unit price/USD		Unit
Material		SS304	SS316	Weight/kg
			1/2"	
	3/4"	2.1	2.3	0.18
	1"	2.9	3.2	0.27
	1.1/4"	4.7	5.2	0.48
	1.1/2"	5.9	6.8	0.63
	2"	8.6	9.6	0.94

Standard type		Unit price/USD			Unit
Material		WCB	SS304	SS316	Weight/kg
			1/4"	1.6	
	3/8"	1.6	1.7	1.9	0.1
	1/2"	1.6	1.7	1.9	0.16
	3/4"	2.3	2.5	2.8	0.25
	1"	3.1	3.5	3.7	0.37
	1.1/4"	4.8	5.4	6.0	0.6
	1.1/2"	6.3	7.1	7.9	0.8
	2"	10	11.2	12.4	1.31
	2.1/2"	18.3	20.5	23.3	2.34
	3"	29.8	33.1	38.1	3.5
	4"	63.4	72.7	81.2	9.05



Stv Valve Technology Group Co.,Ltd


Two piece(2pc) type ball valve,full port,1000WOG,PTFE seat and seal,anti-blow out stem design.Lever operated

Economical type		Unit price/USD			Unit
Material		SS304	SS316		Weight/kg
	1/2"	2.4	2.6		0.22
	3/4"	3.4	3.7		0.34
	1"	5.1	5.6		0.53
	1.1/4"	7.4	8.3		0.83
	1.1/2"	9.8	11.2		1.11
	2"	13.0	14.7		1.5
	2.1/2"	29.6	33.3		3.6
	3"	44.0	50.7		5.5
	4"	74.4	82.9		9.3
Standard type		Unit price/USD			Unit
Material		WCB	SS304	SS316	Weight/kg
	1/4"	2.4	2.6	2.9	0.22
	3/8"	2.4	2.6	2.9	0.22
	1/2"	2.4	2.6	2.9	0.27
	3/4"	3.6	3.9	4.3	0.41
	1"	5.2	5.9	6.4	0.69
	1.1/4"	8.1	9.0	10.1	1.08
	1.1/2"	10.1	11.5	13.0	1.4
	2"	14.4	16.1	18.1	2
	2.1/2"	29.6	33.3	37.5	4.2
	3"	44.3	50.7	58	6.45
	4"	84.9	97.2	106.5	12.7




Stv Valve Technology Group Co.,Ltd

Two piece(2pc) type ball valve,full port,1000WOG,PTFE seat and seal,anti-blow out stem design,ISO5211 Mounting pad.Lever operated(depend on customer)


Model	Unit price/USD	B1A2B1A 1A	B2A2B1A 1A	B4A2B2A1 A	Unit
Material	size	WCB	SS304	SS316	Weight/kg
	1/4"	2.4	2.6	2.9	0.4
	3/8"	2.4	2.6	2.9	0.4
	1/2"	2.4	2.6	2.9	0.36
	3/4"	3.6	3.9	4.3	0.49
	1"	5.2	5.9	6.4	0.81
	1.1/4"	8.1	9.0	10.1	1.26
	1.1/2"	10.1	11.5	13.0	1.7
	2"	14.4	16.1	18.1	2.5
	2.1/2"	29.6	33.3	37.5	4.8
	3"	44.3	50.7	58	8.5
	4"	84.9	97.2	106.5	14.2

Three piece type(3pc)ball valve,full port,1000WOG,anti-blow out stem design,lever operated.Screwed end,Socket weld and butt-weld end has same price.


Economical type		Unit price/USD		Unit
Material		SS304	SS316	Weight/kg
	1/2"	3.6	3.9	0.42
	3/4"	5.2	5.7	0.63
	1"	7.0	7.6	0.79
	1.1/4"	11.3	12.3	1.33
	1.1/2"	13.9	15.4	1.63
	2"	21.1	23	2.45
	2.1/2"	42.4	46.8	5.34
	3"	62.9	69.3	7.92
	4"	108.2	118.4	14



Stv Valve Technology Group Co.,ltd

Standard type		Unit price/USD			Unit
		WCB	SS304	SS316	Weight/kg
	1/4"	3.8	4.2	4.6	0.3
	3/8"	3.8	4.2	4.6	0.3
	1/2"	3.8	4.2	4.6	0.51
	3/4"	5.3	5.9	6.4	0.73
	1"	7.1	7.8	8.5	0.91
	1.1/4"	11.7	12.9	13.9	1.56
	1.1/2"	13.9	15.2	16.9	1.86
	2"	22.0	24.5	27.1	2.98
	2.1/2"	44.8	50.7	56.1	6.65
	3"	67.6	76.4	84.6	10.1
	4"	116.7	132.8	144.6	17.8

Three piece type(3pc)ball valve,full port,1000WOG,anti-blow out stem design,lever operated.Screwed end,Socket weld and butt-weld end has same price.ISO 5211 direct mounting pad(depend on customer)

Model	Unit price/USD	C1A2B1A 1A	C2A2B1A 1A	C4A2B2A1 A	Unit
	size	WCB	SS304	SS316	Weight/kg
	1/4"	7.0	7.9	8.5	0.4
	3/8"	7.0	7.9	8.5	0.4
	1/2"	5.1	5.7	6.1	0.64
	3/4"	7.1	7.9	8.5	0.87
	1"	9.0	10.0	10.7	1.1
	1.1/4"	13.9	15.4	16.6	1.83
	1.1/2"	18.3	20.3	22	2.26
	2"	27.1	29.9	32.1	3.47
	2.1/2"	52.4	59.2	65.1	7.92
	3"	77.8	87.9	95.9	11.6
	4"	123.5	140.4	152.2	19.1